

Errata for
**The New Ladies' Art Company Quick & Easy Block
Tool**
#11290
All Versions

Album, page 13

Rectangle B for the 12 1/2" block should be cut 2 1/4" x 4"
For all block sizes, cut 4 of square E and 1 of square F.

Centennial, page 24

The pattern is for a lap quilt.

The Disk, page 34

Parallelogram B should slant to the left.
Parallelogram BR should slant to the right.

Imperial T, page 54

For squares D and E, refer to Sewing Squares to Squares/Rectangles (page 124).

Merry Kite, page 66

Parallelogram E should slant to the left.
Parallelogram ER should slant to the right.

Mosaic No. 6, page 70

Parallelogram B should slant to the left.

Mosaic No. 13, page 74

Parallelogram C should slant to the left.

Mrs. Morgan's Choice, page 80

Parallelogram E should slant to the right.

Parallelogram F should slant to the left.

Twin Sisters, page 118

Trapezoid B should slant to the left.

Trapezoid C should slant to the left.







10-GRID

Album



1

LAC #378



FOR	CUT	NEED	5"	7½"	10"	12½"	15"
A	2 □	4 ↗	1⅛	2⅓	2⅔	3⅓	3⅖
B	8 □	8 □	1¼ × 2	1½ × 2⁵/₈	1⅛ × 3³/₈	2¼ × 4	2⁵/₈ × 4¾
C	3 □	12 ✕	2¼	2¾	3¼	3¾	4¼
D	4 ■	4 ■	1¼ × 3³/₈	1½ × 4¾	1⅛ × 6⅓	2¼ × 7½	2⁵/₈ × 9
E	4 □	4 □	1¼	1½	1⅛	2¼	2⁵/₈
F	1 ■	1 ■	2	2⁵/₈	3³/₈	4	4³/₄

DESIGN OPTIONS



YARDAGE FOR BABY QUILT

42½" × 42½"

10" block

3 × 3 diagonal setting
with 4 alternate blocks
= 9 pieced blocks

**A, C, E, alternate blocks,
side and corner triangles:**

1¾ yards

B: ¾ yard**D, F:** ⅝ yard

CUTTING

See diagonal settings (page 126). For B/C and D/C, see corner alignment (page 125).

A: Cut 2 strips 2⅛" × WOF;
subcut 18 squares 2⅛" × 2⅛". 1½" × 1½", cut each in half diagonally twice.

C: Cut 3 strips 3¼" × WOF;
subcut 27 squares 3¼" × 3¼".

Corner triangles: Cut 1 strip

8" × WOF; subcut 2 squares

8" × 8", cut in half diagonally once.

E: Cut 2 strips 1⅛" × WOF;
subcut 72 squares 1⅛" × 1⅛".

B: Cut 6 strips 1⅛" × WOF;
subcut 72 squares 1⅛" × 3¾".

D: Cut 2 strips 6⅓" × WOF;
subcut 36 squares 6⅓" × 6⅓".

F: Cut 1 strip 3¾" × WOF;
subcut 9 squares 3¾" × 3¾".


Alternate blocks: Cut 1 strip
10½" × WOF; subcut 4 squares
10½" × 10½"

Side triangles: Cut 1 strip
15½" × WOF; subcut 2 squares

B: Cut 6 strips 1⅛" × WOF;
subcut 72 squares 1⅛" × 3¾".




D: Cut 2 strips 6⅓" × WOF;
subcut 36 squares 6⅓" × 6⅓".

F: Cut 1 strip 3¾" × WOF;
subcut 9 squares 3¾" × 3¾".




8-GRID

LAC #158



FOR	CUT	NEED	4"	6"	8"	10"	12"
A	4	4	1½	2	2½	3	3½
B	2	8	2¼	2¾	3¼	3¾	4¼
C	1	4	3¼	4¼	5¼	6¼	7¼
D	4	4	1¼ × 2	1½ × 2½	2 × 3¾	2¼ × 4	2½ × 4¾
E	1	1	2	2½	3¾	4	4¾

DESIGN OPTIONS



YARDAGE FOR LAP QUILT

56½" × 70½"

A, C, E: 1½ yards

10" block

B, alternate blocks,
side triangles, corner
triangles: 2½ yards

4 × 5 diagonal setting

D: ¾ yard

with 12 alternate blocks

= 20 pieced blocks

CUTTING

See *diagonal settings* (page 126). For A/B and BD/C, see *corner alignment* (page 125).

A: Cut 6 strips 3" × WOF; subcut 80 squares 3" × 3".

C: Cut 4 strips 6¼" × WOF; subcut 20 squares 6¼" × 6¼".

E: Cut 2 strips 4" × WOF; subcut 20 squares 4" × 4".

B: Cut 4 strips 3¾" × WOF; subcut 40 squares 3¾" × 3¾".

Alternate block: Cut 3 strips 10½" × WOF; subcut 12 squares 10½" × 10½".

2 squares 15½" × 15½", cut in half diagonally twice (side triangles), and 1 square 8" × 8", cut in half diagonally once (corner triangles).





Side and corner triangles: Cut 2 strips 15½" × WOF; from each strip, subcut

2 squares 15½" × 15½", cut in half diagonally twice (side triangles), and 1 square 8" × 8", cut in half diagonally once (corner triangles).

D: Cut 5 strips 4" × WOF; subcut 80 rectangles 2¼" × 4".




LAC #138



FOR	CUT	NEED	4"	6"	8"	10"	12"
A	2	2	1 x 2 1/2	2 x 3 1/2	2 x 4 1/2	3 x 5 1/2	3 1/2 x 6 1/2
B	2	2	1 1/4 x 3 3/8	1 1/2 x 4 3/8	1 7/8 x 5 1/2	2 1/4 x 6 1/2	2 5/8 x 7 5/8
BR	2	2	1 1/4 x 3 3/8	1 1/2 x 4 3/8	1 7/8 x 5 1/2	2 1/4 x 6 1/2	2 5/8 x 7 5/8
C	1	1	2 7/8	3 7/8	4 7/8	5 7/8	6 7/8
D	1	2	3 1/4	4 1/4	5 1/4	6 1/4	7 1/4
E	1	1	1 1/2	2	2 1/2	3	3 1/2
F	1	2	1 7/8	2 3/8	2 7/8	3 3/8	3 7/8
G	1	1	2 7/8	3 7/8	4 7/8	5 7/8	6 7/8

DESIGN OPTIONS



YARDAGE FOR TABLE TOPPER

27" x 27"

A, D, E, G: 1/2 yard

12" block

B, BR, cornerstone: 1/4 yard

2 x 2 setting = 4 blocks

C, F, sashing: 1/2 yard

CUTTING

See 45° angles (page 123) and Y-seams (page 124). For A/F, see corner alignment (page 125).

A, E: Cut 1 strip 6 1/2" x WOF; subcut 8 rectangles 6 1/2" x 3 1/2" (A) and 4 squares 3" x 3" (E).

D, G: Cut 1 strips 7 1/4" x WOF; subcut 2 squares 7 1/4" x 7 1/4" (D) and 2 squares 6 7/8" x 6 7/8" (G).

B, cornerstone: Cut 1 strip 3 1/2" x WOF; subcut 1 square 3 1/2" x 3 1/2" (cornerstone) and 4 rectangles 2 5/8" x 7 5/8" (B).





B, BR: Cut 3 strips 2 5/8" x WOF; subcut 12 rectangles 2 5/8" x 7 5/8".

C, F, sashing: Cut 1 strip 6 7/8" x WOF; subcut 2 squares 6 7/8" x 6 7/8" (C), 4 squares 3 7/8" x 3 7/8" (F), and 1 rectangle 3 1/2" x 12 1/2" (sashing).

Sashing: Cut 1 strip 3 1/2" x WOF; subcut 3 rectangles 3 1/2" x 12 1/2".




LAC #88



FOR	CUT	NEED	4"	6"	8"	12"	16"
A	2 □	4	2 1/8	2 3/4	3 3/8	4 5/8	5 7/8
B	2 ■	4	2 1/8	2 3/4	3 3/8	4 5/8	5 7/8
C	4 ■■	4 ■■	1 1/4 × 2	1 5/8 × 2 3/4	2 × 3 1/2	2 3/4 × 5	3 1/2 × 6 1/2
D*	8 □	8 □	1 1/4	1 5/8	2	2 3/4	3 1/2
E*	12 □	12 □	1	1 1/4	1 1/2	2	2 1/2
F	4 ■■	4 ■■	1 × 2	1 1/4 × 2 3/4	1 1/2 × 3 1/2	2 × 5	2 1/2 × 6 1/2
G	1 ■	1 ■	2	2 3/4	3 1/2	5	6 1/2

*Refer to *Sewing Squares to Squares/Rectangles* (page 124).

DESIGN OPTIONS



YARDAGE FOR LAP QUILT

- 72" × 72" A, D, E: 3 3/8 yards
- 24" block B: 1 1/4 yards
- 3 × 3 setting = 9 blocks C, F, G: 3 yards

CUTTING

For A/B, see *half-square triangles* (page 124).
For C/D, E/F, and E/G, see *squares to squares* (page 124).

A: Cut 4 strips 8 3/8" × WOF;
subcut 18 squares 8 3/8" × 8 3/8".

D: Cut 9 strips 5" × WOF;
subcut 72 squares 5" × 5".





E: Cut 9 strips 3 1/2" × WOF;
subcut 108 squares 3 1/2" × 3 1/2".

B: Cut 4 strips 8 3/8" × WOF;
subcut 18 squares 8 3/8" × 8 3/8".

C, F, G: Cut 10 strips 9 1/2" × WOF;
subcut 9 squares 9 1/2" × 9 1/2" (G), 36 rectangles 9 1/2" × 5" (C), and 36 rectangles 9 1/2" × 3 1/2" (F).





6-GRID



FOR	CUT	NEED	3"	6"	9"	12"	15"
A	4	4	1	1½	2	2½	3
B	8	8	1	1½	2	2½	3
C	1	4	2¼	3¼	4¼	5¼	6¼
D	4	4	7/8 × 2¼	1¼ × 3¾	1⅓ × 4¾	2 × 5½	2¼ × 6½
DR	4	4	7/8 × 2¼	1¼ × 3¾	1⅓ × 4¾	2 × 5½	2¼ × 6½
E	4	4	7/8 × 2¼	1¼ × 3¾	1⅓ × 4¾	2 × 5½	2¼ × 6½
ER	4	4	7/8 × 2¼	1¼ × 3¾	1⅓ × 4¾	2 × 5½	2¼ × 6½
F	1	1	1½	2½	3½	4½	5½

DESIGN OPTIONS



YARDAGE FOR TABLE RUNNER

16" × 58"

12" block

4 blocks

A, F, cornerstones: ½ yard**B, C, sashing:** ¾ yard**D, DR:** ¾ yard**E, ER:** ¾ yard

CUTTING

See 45° angles (page 123) and Y-seams (page 124).

A, cornerstones: Cut 2 strips 2½" × WOF; subcut 26 squares 2½" × 2½".

F: Cut 1 strip 4½" × WOF; subcut 4 squares 4½" × 4½".

B: Cut 2 strips 2½" × WOF; subcut 32 squares 2½" × 2½".

C: Cut 1 strips 5¼" × WOF; subcut 4 squares 5¼" × 5¼".





Sashing: Cut 4 strips 2½" × WOF; subcut 10 rectangles 2½" × 12½".

D, DR: Cut 5 strips 2" × WOF; subcut 32 rectangles 2" × 5½".

E, ER: Cut 5 strips 2" × WOF; subcut 32 rectangles 2" × 5½".




4-GRID



FOR	CUT	NEED	4"	6"	8"	10"	12"
A	6	12	1 7/8	2 3/8	2 7/8	3 3/8	3 7/8
B	8	8	1 1/4 x 3 3/8	1 1/2 x 4 3/8	1 7/8 x 5 1/2	2 1/4 x 6 1/2	2 5/8 x 7 5/8
C	1	4	2	2 5/8	3 3/8	4	4 3/4

DESIGN OPTIONS



YARDAGE FOR TABLE TOPPER

34" x 34"

12" block

2 x 2 diagonal setting = 5 blocks

A, C, side and corner triangles: 1 1/4 yards**B:** 3/4 yard

CUTTING

See 45° angles (page 123), Y-seams (page 124), and diagonal settings (page 126).

A: Cut 3 strips 3 7/8" x WOF; subcut 30 squares 3 7/8" x 3 7/8".





C: Cut 1 strip 4 3/4" x WOF; subcut 5 squares 4 3/4" x 4 3/4".

Side and corner triangles: Cut 1 strip 18 1/4" x WOF; subcut 1 square 18 1/4" x 18 1/4", cut in half diagonally twice (side triangles), and 2 squares 9 3/8" x 9 3/8", cut in half diagonally once (corner triangles).

B: Cut 8 strips 2 5/8" x WOF; subcut 40 rectangles 2 5/8" x 7 5/8".



LAC #341



FOR	CUT	NEED	4"	6"	8"	10"	12"
A	4 □	8	1 1/8	2 3/8	2 7/8	3 3/8	3 7/8
B	2 ■	4	1 1/8	2 3/8	2 7/8	3 3/8	3 7/8
C	4 ■■	4	1 1/4 x 3 3/8	1 1/2 x 4 3/8	1 7/8 x 5 1/2	2 1/4 x 6 1/2	2 5/8 x 7 5/8
D	1 ■■■	4	3 1/4	4 1/4	5 1/4	6 1/4	7 1/4
E	2 □□	4	1 1/8	2 3/8	2 7/8	3 3/8	3 7/8

DESIGN OPTIONS



YARDAGE FOR LAP QUILT

69" x 69"

B: 7/8 yard

11 1/2" block

C: 36 jelly roll strips


6 x 6 setting = 36 blocks

D: 36 layer cake squares

A: 1 1/8 yards

E: 7/8 yard

PRECUT FRIENDLY!



Detail of pattern. Quilt is 6 x 6 blocks.

Each 11 1/2" block uses:

Jelly roll x 1 strip for C

LC x 1 square for D

CUTTING





See 45° angles (page 123) and Y-seams (page 124).

For A/B, see half-square triangles (page 124).

A: Cut 14 strips 3 3/4" x WOF; subcut 144 squares 3 3/4" x 3 3/4".**B:** Cut 7 strips 3 3/4" x WOF; subcut 72 squares 3 3/4" x 3 3/4".**C:** From each jelly roll strip, cut 4 rectangles 2 1/2" x 7 1/4".**D:** Trim each layer cake square to 7" x 7".**E:** Cut 7 strips 3 3/4" x WOF; subcut 72 squares 3 3/4" x 3 3/4".




LAC #255



FOR	CUT	NEED	3"	6"	9"	12"	15"
A	2 □	4	1 3/8	1 7/8	2 3/8	2 7/8	3 3/8
B	4 ■	4 ■	1 1/4	1 7/8	2 5/8	3 3/8	4
C	1 □	4	2 1/4	3 1/4	4 1/4	5 1/4	6 1/4
D	1 ■	4	2 1/4	3 1/4	4 1/4	5 1/4	6 1/4
E	4 ■■	4	7/8 x 2 1/4	1 1/4 x 3 3/8	1 5/8 x 4 3/8	2 x 5 1/2	2 1/4 x 6 1/2
F	4 □	4	7/8 x 2 1/4	1 1/4 x 3 3/8	1 5/8 x 4 3/8	2 x 5 1/2	2 1/4 x 6 1/2
G	1 □	4	2 1/4	3 1/4	4 1/4	5 1/4	6 1/4
H	4 □	4	1 x 1 7/8	1 1/2 x 2 7/8	2 x 3 7/8	2 1/2 x 4 7/8	3 x 5 7/8

DESIGN OPTIONS



YARDAGE FOR LAP QUILT

60" x 60"

A, C, F, H: 2 5/8 yards

15" block

B: 1 yard

4 x 4 setting = 16 blocks

D, E, G: 8 fat quarters

CUTTING

Combine sets of 4E, 1D, and 1G from 3 different fat quarters. See 45° angles (page 123) and Y-seams (page 124).

A: Cut 3 strips 3 3/8" x WOF; subcut 32 squares 3 3/8" x 3 3/8".

C: Cut 3 strips 6 1/4" x WOF; subcut 16 squares 6 1/4" x 6 1/4".


F: Cut 11 strips 2 1/4" x WOF; subcut 64 rectangles 2 1/4" x 6 1/2".

H: Cut 5 strips 5 7/8" x WOF; subcut 64 rectangles 5 7/8" x 3".

B: Cut 7 strips 4" x WOF; subcut 64 squares 4" x 4".

D, E, G: From each fat quarter: Cut 2 strips 6 1/2" x WOFQ; subcut 8 rectangles

PRECUT FRIENDLY!



Each 15" block uses:

FQ x 1/6 fat quarter for D

FQ x 1/6 fat quarter for E

FQ x 1/6 fat quarter for G





6 1/2" x 2 1/4" (E) and 2 squares

6 1/4" x 6 1/4" (D).

Cut 1 strip 6 1/4" x WOFQ; subcut 2 squares 6 1/4" x 6 1/4" (G).


106 Twin Sisters

LAC #213



FOR	CUT	NEED	4"	6"	8"	10"	12"
A	1	4	3 1/4	4 1/4	5 1/4	6 1/4	7 1/4
B	2	2	2 x 3 3/4	2 5/8 x 5 1/8	3 3/8 x 6 1/2	4 x 8	4 3/4 x 9 3/8
C	2	2	2 x 3 3/4	2 5/8 x 5 1/8	3 3/8 x 6 1/2	4 x 8	4 3/4 x 9 3/8

DESIGN OPTIONS



YARDAGE FOR BABY QUILT OR WALLHANGING

32" x 40"

8" block

4 x 5 setting = 20 blocks

A: 5/8 yard

B: 3/4 yard

C: 3/4 yard

CUTTING

For B and C, see 45° angles (page 123). For A/B, see corner alignment (page 125).

A: Cut 3 strips 5 1/4" x WOF; subcut 20 squares 5 1/4" x 5 1/4".

B: Cut 7 strips 3 3/8" x WOF; subcut 40 rectangles 3 3/8" x 6 1/2".

C: Cut 7 strips 3 3/8" x WOF; subcut 40 rectangles 3 3/8" x 6 1/2".